

(19)



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11)

EP 1 124 375 A3

(12)

EUROPEAN PATENT APPLICATION

(88) Date of publication A3:
12.12.2001 Bulletin 2001/50

(51) Int Cl.7: **H04N 7/14**, ^{2/1}H04N 7/18

(43) Date of publication A2:
16.08.2001 Bulletin 2001/33

(21) Application number: **01100828.1**

(22) Date of filing: **15.01.2001**

(84) Designated Contracting States:
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE TR**
Designated Extension States:
AL LT LV MK RO SI

(72) Inventor: **Park, Chun-Ho**
Seodaemun-gu, Seoul (KR)

(74) Representative: **Grünecker, Kinkeldey,
Stockmair & Schwanhäusser Anwaltssozietät
Maximilianstrasse 58
80538 München (DE)**

(30) Priority: **15.01.2000 KR 2000001873**


(71) Applicant: **SAMSUNG ELECTRONICS CO., LTD.**
Suwon-City, Kyungki-do (KR)

(54) **Wireless video monitoring system**

(57) There is provided a wireless video monitoring system. In the wireless video monitoring system, a wireless camera transmits video data of a monitored object in the form of an RF signal. A wireless telephone re-

ceives the RF signal from the wireless camera via a fixture, and demodulates the RF signal and displays the monitored object on a display through a portable terminal.

FIG. 1



EP 1 124 375 A3

THIS PAGE BLANK (USPTO)



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 01 10 0828

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
X	CARMINE A: "MULTIMEDIA OVER DECT: THE ENABLING TECHNOLOGY FOR MULTI-APPLICATION DOMESTIC WIRELESS SYSTEMS" PHILIPS TELECOMMUNICATION REVIEW, PHILIPS TELECOMMUNICATIE INDUSTRIE N.V. HILVERSUM, NL, vol. 52, no. 4, 1 October 1995 (1995-10-01), pages 9-11, XP000545036 Eindhoven, Netherlands * page 11, left-hand column, line 47 - right-hand column, line 54 * * figure 1 *	1-4	H04N7/14 H04N7/18
A	WO 97 19558 A (SENSORMATIC ELECTRONICS CORPORATION) 29 May 1997 (1997-05-29) * page 4, line 13 - page 6, line 29 * * figures 1,2 *	2,3	
A	PEREIRA F: "A MOBILE AUDIO-VISUAL TERMINAL FOR THE DECT SYSTEM" PROCEEDINGS OF THE MEDITERRANEAN ELECTROTECHNICAL CONFERENCE. ANTALYA, TURKEY, APR. 12 -14, 1994, NEW YORK, IEEE, US, vol. 1 CONF. 7, 12 April 1994 (1994-04-12), pages 28-31, XP000506095 Lisboa, Portugal ISBN: 0-7803-1773-4 * page 28, left-hand column, line 16 - page 29, left-hand column, line 20 *	1-4	TECHNICAL FIELDS SEARCHED (Int.Cl.7) H04N
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 18 October 2001	Examiner Van der Zaal, R
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document			

EPO FORM 1503 03 02 (P04C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 01 10 0828

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

18-10-2001

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9719558 A	29-05-1997	AU 1161597 A	11-06-1997
		CA 2231122 A1	29-05-1997
		JP 2000500638 T	18-01-2000
		WO 9719558 A1	29-05-1997

EPO FORM P459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

(19)



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11)

EP 1 124 375 A2

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
16.08.2001 Bulletin 2001/33

(51) Int Cl.7: H04N 7/14, H04N 7/18

(21) Application number: 01100828.1

(22) Date of filing: 15.01.2001

(84) Designated Contracting States:
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE TR
Designated Extension States:
AL LT LV MK RO SI

(72) Inventor: Park, Chun-Ho
Seodaemun-gu, Seoul (KR)

(74) Representative: Grünecker, Kinkeldey,
Stockmair & Schwanhäusser Anwaltssozietät
Maximilianstrasse 58
80538 München (DE)

(30) Priority: 15.01.2000 KR 2000001873


(71) Applicant: SAMSUNG ELECTRONICS CO., LTD.
Suwon-City, Kyungki-do (KR)

(54) Wireless video monitoring system

(57) There is provided a wireless video monitoring system. In the wireless video monitoring system, a wireless camera transmits video data of a monitored object in the form of an RF signal. A wireless telephone re-

ceives the RF signal from the wireless camera via a fixture, and demodulates the RF signal and displays the monitored object on a display through a portable terminal.

FIG. 1



EP 1 124 375 A2

Description

[0001] The present invention relates generally to a video monitoring system, and in particular, to a wireless video monitoring system.

[0002] A CC TV (Closed Circuit Television) must be installed at a heavy cost to monitor a specific object. For example, the recent apartments are provided with CC TVs for monitoring children in a playground or indoor/outdoor situations.

[0003] Monitoring with the CC TV is confined to the place where it is installed. For example, if a CC TV is installed in a living room, a user can be monitored as far as he is in a particular place, say, before the CC TV. In other words, the user is not allowed to move to another place in the middle of monitoring.

[0004] Besides, since a CC camera is also installed in a fixed position, it just photographs an object at a predetermined angle from the position without freely moving to monitor other objects or places.

[0005] It is, therefore, the object of the present invention to provide a wireless video monitoring system which facilitates free monitoring of objects or places and allows a user to move in the middle of monitoring.

[0006] To achieve the above object, there is provided a wireless video monitoring system. In the wireless video monitoring system, a wireless camera transmits video data of a monitored object in the form of an RF signal. A wireless telephone receives the RF signal from the wireless camera via a fixture, and demodulates the RF signal and displays the monitored object on a display through a portable terminal.

[0007] The above object, features and advantages of the present invention will become more apparent from the following detailed description when taken in conjunction with the accompanying drawing:

FIG. 1 illustrates a wireless video monitoring system according to an embodiment of the present invention.

[0008] A preferred embodiment of the present invention will be described hereinbelow with reference to the accompanying drawings. In the following description, well-known functions or constructions are not described in detail since they would obscure the invention in unnecessary detail.

[0009] Referring to FIG. 1, a wireless camera 10 transmits video data of a monitored object in the form of an RF (Radio Frequency) signal. A fixture 20 of a wireless phone receives the RF signal from the wireless camera 10 and a portable terminal 30 of the wireless phone demodulates the RF signal received from the fixture 20 and displays the monitored object on a display.

[0010] The wireless camera 10 optimizes the monitored video data so that it may be displayed on the display of the portable terminal 30. The display may be an LCD (Liquid Crystal Display) panel.

[0011] A digital European cordless telephone (DECT) can be used as the wireless phone. In other words, the

RF signal is generated from the wireless camera 10 in TDMA (Time Division Multiple Access), TDD (Time Division Duplex), a spread spectrum scheme, or an analog RF scheme. The frequency of the RF signal ranges from 1.88 to 1.94GHz or is 2.4GHz.

[0012] The wireless camera 10 is capable of continuously transmitting monitored video data in real time or as still images to the portable terminal 30 so that the portable terminal 30 can display the video data on the display at any time when the user wants. Alternatively, the wireless camera 10 may be activated in response to a driving command received from the portable terminal 30.

[0013] In accordance with the present invention as described above, children playing in a playground or other indoor/outdoor situations can be monitored through the display of a portable terminal in a wireless phone without installing a CC TV. Therefore, the cost of the CC TV is saved. Furthermore, the mobility of the portable terminal allows a user to move in the middle of monitoring and since a CC camera is wireless, the user can install the CC camera freely in an intended place.

Claims

1. A wireless video monitoring system comprising:


a wireless camera for transmitting video data of a monitored object in the form of an RF signal; and
a wireless telephone having a fixture for receiving the RF signal and a portable terminal for receiving the RF signal from the fixture, demodulating the RF signal, and displaying the monitored object on a display.

2. The wireless video monitoring system of claim 1, wherein the wireless camera optimizes the video data to display the video data on the display.

3. The wireless video monitoring system of claim 1, wherein the wireless camera is activated dependently upon receipt of a driving command from the portable terminal.

4. The wireless video monitoring system of claim 1, wherein the wireless telephone is a digital European cordless telephone (DECT).

FIG. 1



THIS PAGE BLANK (USPTO)